



Woltz & Wind Ford, Inc.

2100 Washington Pike, Heidelberg, Pa, 15106
(412)279-4551 F: (412)279-8226

TO: Mr. Bob Holleran, Facility Director
COMPANY: Plum Borough School District
DATE: 06/13/2014
TIME: 10:37
PAGES: 21
FAX NUMBER: 412.798.6387

Bob,

Here are the quotations for the two (2) complete trucks and equipment,
per your request.

Please review and call me, to confirm receipt.

Thank you,



Bill

BILL BAUER
412-279-4551

BILL BAUER
FLEET / MUNICIPAL MANAGER - FAX: 412.279.8226

**Woltz & Wind Ford**

June 12, 2014

Mr. Bob Holleran
Plum Borough School District
900 Elicker Road
Plum, Pennsylvania, 15239
Phone: (412) 798-6366

Re: The 2015 Ford F-550 Chassis XL

Dear Mr. Holleran,

Thank you, for requesting truck quotations from Woltz & Wind Ford.

These quotations are based on COSTARS-25-032 and a copy of the award renewal letter is included.

These trucks will be ordered units, with delivery to the up-fitter in approximately 8 - 10 weeks, after acceptance of your request by Ford Motor Company. Please review the Delivery Date Clause included with this quotation.

Ford Municipal Financing is available for these trucks and all up-fitted equipment. A Ford Municipal Finance quotation is included.

Payment is due on delivery of the completed trucks.

A purchase order is required to process your request.

Sincerely,

A handwritten signature in black ink, appearing to read "W. J. Bauer".

W. J. Bauer
Fleet / Municipal Manager



Woltz & Wind Ford, Inc.
www.woltzwindford.com

Raceway Plaza — Scott Township
2100 Washington Pike, Heidelberg, PA 15106
412 / 279-4551 • Fax 412 / 279-8226

"DELIVERY DATE CLAUSE"

(FOR INCLUSION IN BIDS REQUIRING FACTORY SHIPMENT)

1.) THIS DELIVERY DATE IS SUBJECT TO DELAYS OR NON-PRODUCTION ARISING OUT OF THE SHORTAGE OR CURTAILMENT OF MATERIAL, LABOR, TRANSPORTATION, UTILITY SERVERS, LABOR OR PRODUCTION DIFFICULTY IN THE PLANTS OF FORD MOTOR COMPANY OR THOSE OF ITS SUPPLIERS, ANY GOVERNMENTAL LAWS, REGULATIONS OR ACTIONS, TO WAR, INTERNATIONAL CONFLICT OR CIVIL COMMISSION, ACTS OF GOD OR ANY CAUSE BEYOND THE BIDDER'S PRODUCERS CONTROL OR WITHOUT THE BIDDER'S FAULT OR NEGLIGENCE.

2.) ACCEPTANCE OF AN ORDER BY FORD MOTOR COMPANY DOES NOT CONSTITUTE A COMMITMENT TO BUILD OR A GUARANTEED DELIVERY DATE

3.) WOLTZ & WIND FORD, INC. TAKES FULL EXCEPTION TO ANY PER DAY PENALTY CLAUSE FOR DELAYED DELIVERY.



Municipal Finance Department
 1 American Road, MD 7500
 Dearborn, Michigan 48126

June 13, 2014

Woltz & Wind Ford
 Attn: Bill Bauer
 2100 Washington Pike
 Pittsburgh/Heidelberg, PA 15146
 Fax: (412) 279-8226, email: bauer15057@yahoo.com

Re: Ford Credit Municipal Finance Program Quotation for Plum Borough School District, Bid #79593

Please review the following Ford Credit Municipal Finance quotation.

All required documentation, municipality's first payment to Ford Credit, and the delivery of the vehicle(s) and/or equipment must take place by 09/30/2014. Otherwise, rates and payments are subject to change.

Option A: One (1) 2015 Ford F350 Pickup w/Plow & Spreader at \$46,986.00
 Funded Range: \$25,000 - \$49,999

Total Amount Financed	No of Pymts	Payment Timing	Rate	Factor	Payment Amount
\$47,411.00	3	Annual in Advance	5.75%	0.352133	\$16,694.98
\$47,411.00	5	Annual in Advance	5.70%	0.222765	\$10,561.51

Option B: One (1) 2014 Ford F550 Chassis, Body & Equipment at \$74,420.00
 Funded Range: \$50,000 - \$74,999

Total Amount Financed	No of Pymts	Payment Timing	Rate	Factor	Payment Amount
\$74,845.00	3	Annual in Advance	5.25%	0.350527	\$26,235.19
\$74,845.00	5	Annual in Advance	5.20%	0.220773	\$16,523.76

Option C: One (1) 2014 Ford F350 Chassis, Body & Equipment at \$74,420.00
 One (1) 2015 Ford F550 Pickup w/Plow & Spreader at \$46,986.00
 Funded Range: \$75,000 - \$149,999

Total Amount Financed	No of Pymts	Payment Timing	Rate	Factor	Payment Amount
\$121,831.00	3	Annual in Advance	5.25%	0.350527	\$42,705.05
\$121,831.00	5	Annual in Advance	5.20%	0.220773	\$26,897.00

Note: To calculate payment amount, multiply total amount funded by the payment factor.

Financing is Subject To:

- Municipality's most recent audited financial statement
- Credit approval
- Mutually acceptable documentation
- Confirmation from the dealer of actual selling price.

Ford Credit Municipal Finance Program

- An underwriting fee of \$425 is required per transaction, not per unit. It can be paid at time of delivery or funded over the term (included above).
- There is no security deposit, no prepayment penalty, and no mileage penalty
- Non-recourse to the dealer. The same as a cash sale from the dealer to the municipal customer.
- At inception, the new equipment title/registration indicates the municipality as Registered Owner, and designates Ford Credit, 1 American Road-MD7500, Dearborn, MI 48126, as first lien holder.
- At term end, the municipality buys the equipment for \$1.
- The municipality, as owner of record, is eligible for Ford Governmental Price Concessions or other discounts, to reduce product cost

If you need additional information, please contact me at (800) 241-4199, option 1. Thank you for your interest in the Ford Credit Municipal Finance Program.

Sincerely,

Tabitha Crawford

Tabitha Crawford
Marketing Coordinator
tcrawf22@ford.com

Prepared For: Mr. Bob Holleran
 Prepared By: W. J. Bauer
 Dealership: Woltz & Wind Ford



Vehicle Profile

2015 Ford F-550 Chassis

4x4 SD Regular Cab 141" WB DRW XL (F5H)

Powertrain

Powerstroke 6.7L V-8 OHV direct diesel injection 32 valve intercooled turbo diesel engine * 200 amp HD alternator * 750 amp (total) 78 amp hours (Ah) (total) battery dual batteries with run down protection * Engine block heater * 6-speed electronic SelectShift automatic transmission with overdrive, lock-up, driver selection * Part-time four-wheel drive with manual transfer case shift, manual locking hubs * Limited slip differential, driveline traction control * 4.88 axle ratio * Stainless steel exhaust

Steering and Suspension

Hydraulic power-assist re-circulating ball steering * 4-wheel disc brakes with front and rear vented discs * Firm ride suspension * Mono-beam non-independent front suspension * Front anti-roll bar * HD front coil springs * HD front shocks * Rigid rear axle * Rear leaf suspension * Rear anti-roll bar * HD rear leaf springs * HD rear shocks * Front and rear 19.5" x 6.00" argent steel wheels * LT225/70SR19.5 BSW AT front and rear tires * Frame mounted mounted full-size steel spare wheel

Safety

4-wheel anti-lock braking system * Daytime running lights * Dual airbags, passenger side front-impact cancellable airbag, seat mounted driver and passenger side-impact airbags, curtain 1st row overhead airbag * Front height adjustable seatbelts * SecuriLock immobilizer, panic alarm, security system

Comfort and Convenience

Air conditioning * AM/FM stereo, clock, seek-scan, 2 speakers, fixed antenna * Power door locks with 2 stage unlock, keyfob (all doors) keyless entry * 2 12V DC power outlets, retained accessory power, back-up alarm * Analog instrumentation display includes tachometer, engine temperature gauge, turbo/supercharger boost gauge, transmission fluid temp gauge, engine hour meter, exterior temp, systems monitor, trip odometer * Warning indicators include oil pressure, engine temperature, battery, lights on, key, low fuel, door ajar, service interval, brake fluid * Steering wheel with tilt and telescopic adjustment * Power front windows with light tint, driver and passenger 1-touch down * Variable intermittent front windshield wipers * Passenger side vanity mirror * Day-night rearview mirror * Interior lights include dome light with fade, front reading lights, illuminated entry * Partial floor console with storage, glove box, front cupholder, instrument panel bin, dashboard storage, driver and passenger door bins * Upfitter switches

Seating and Interior

Seating capacity of 2 * Bucket front seats with adjustable head restraints * 4-way adjustable driver seat includes lumbar support * 4-way adjustable passenger seat * Vinyl faced front seats with vinyl back material * Full cloth headliner, full vinyl/rubber floor covering, urethane gear shift knob, chrome interior accents

Exterior Features

Side impact beams, front license plate bracket, fully galvanized steel body material * Black fender flares * Black side window moldings, black front windshield molding * Black door handles * Black grille * 2 doors * Trailer harness,

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information. Reference CT05203351 5/1/2014

Vehicle Profile Continuea

Prepared For: Mr. Bob Holleran
 Prepared By: W. J. Bauer
 Dealership: Woltz & Wind Ford

Exterior Features (Continued)

brake controller * Driver and passenger power remote black heated convex spotter folding manual extendable trailer
 outside mirrors with turn signal indicators * Front black bumper with front tow hooks * Aero-composite halogen
 headlamps * Additional exterior lights include cab clearance lights, underhood light, remote activated
 perimeter/approach lights * Clearcoat monotone paint * Snow plow provision

Warranty

Basic	36 month/36,000 miles	Powertrain	60 month/60,000 miles
Corrosion Perforation	60 month/unlimited mileage	Roadside Assistance	60 month/60,000 miles
Diesel Engine	60 month/100,000 miles		

Dimensions and Capacities

Output	300 hp @ 2,800 rpm	Torque	660 lb.-ft. @ 1,600 rpm
1st gear ratio	3.974	2nd gear ratio	2.318
3rd gear ratio	1.516	4th gear ratio	1.149
5th gear ratio	0.858	6th gear ratio	0.674
Reverse gear ratio	3.128	Curb weight	7,761 lbs.
GVWR	19,500 lbs.	Front	7,000 lbs.
Rear GAWR	14,706 lbs.	Payload	11,714 lbs.
Front curb weight	4,720 lbs.	Rear curb weight	3,041 lbs.
Front axle capacity	7,000 lbs.	Rear axle capacity	14,706 lbs.
Front spring rating	7,000 lbs.	Rear spring rating	15,000 lbs.
Front tire/wheel capacity	7,500 lbs.	Rear tire/wheel capacity	15,000 lbs.
Towing capacity	16,000 lbs.	5th-wheel towing capacity	26,100 lbs.
Front legroom	41.1 "	Front headroom	40.7 "
Front hiproom	67.6 "	Front shoulder room	68.0 "
Passenger area volume	65.9 cu.ft.	Length	226.5 "
Body width	93.9 "	Body height	80.5 "
Wheelbase	141.0 "	Cab to axle	60.0 "
Axle to end of frame	47.6 "	Front track	74.8 "
Rear track	74.0 "	Turning radius	21.2 '
Fuel tank	28.0 gal.	Rear frame height loaded	28.1 "
Rear frame height unloaded	33.8 "		

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information. Reference CT05203351 5/1/2014

Prepared For: Mr. Bob Molleran
 Prepared By: W. J. Bauer
 Dealership: Woltz & Wind Ford



Selected Options

2015 Ford F-550 Chassis

4x4 SD Regular Cab 141" WB DRW XL (F5H)

Vehicle Snapshot	Engine: 6.7L 4V OHV Power Stroke V8 Turbo Diesel B20 Transmission: TorqShift 6-Speed Automatic Rear Axle Ratio: Limited Slip w/4.88 GVWR: 19,500 lb Payload Plus Upgrade Package
-------------------------	---

	Description	MSRP
	Base Vehicle Price (F5H)	39,380.00
Packages	Order Code 660A	N/C
Emissions	50 State Emissions System	N/C
Powertrain	Engine: 6.7L 4V OHV Power Stroke V8 Turbo Diesel B20	8,130.00
	Transmission: TorqShift 6-Speed Automatic	190.00
	Limited Slip w/4.88 Axle Ratio	360.00
	GVWR: 19,500 lb Payload Plus Upgrade Package	1,155.00
Wheels & Tires	Tires: 225/70Rx19.5G BSW Max Traction	215.00
	Wheels: 19.5" Argent Painted Steel (6)	Included
	Spare Tire & Wheel	350.00
Seats & Seat Trim	Vinyl 40/Mini-Console/40 Front Seats	355.00
Other Options	Monotone Paint Application	N/C

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information. Reference CT06203351 5/1/2014

Selected Options Continued

Prepared For: Mr. Bob Holleran
 Prepared By: W. J. Bauer
 Dealership: Woltz & Wind Ford

Description	MSRP
141" Wheelbase/60" Cab to Axle	N/C
Power Equipment Group	895.00
Snow Plow Prep Package	85.00
High Capacity Trailer-Tow Package	350.00
Engine Block Heater	75.00
6-Ton Hydraulic Jack	Included
Operator Commanded Regeneration (OCR)	250.00
28 Gallon Mid-Ship Fuel Tank	125.00
Trailer Brake Controller	270.00
Radio: AM/FM Stereo w/Digital Clock	Included
Exterior Backup Alarm (LPO)	125.00
Fleet Options	
Daytime Running Lamps (DRL) (LPO)	45.00
Interior Colors For : Primary w/XL (regs)	
Steel	N/C
Primary Colors For : Primary w/XL (regs)	
Oxford White	N/C
Accessories and Aftermarket Options	
Aluminum Running Boards	\$580.00
Fire Extinguisher	\$100.00
Triangle Reflector Kit	\$30.00
Upfitter Switches	\$0.00
J&J Aluminum Dump Body & Equipment	\$31,481.00
<hr/>	
Vehicle Subtotal	\$84,546.00
Destination	\$1,195.00
<hr/>	
Vehicle Subtotal (including Destination)	\$85,741.00

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information. Reference CT05203351 5/1/2014

**WALSH EQUIPMENT**

796 Unionville Rd Prospect PA 16052**PH: 724-865-9221 * EMAIL: walsh@walshequipmentinc.com * FX: 724-865-9817**

June 9, 2014

Bill Bauer
Woltz & Wind Ford
Heidelberg, PA

We are pleased to quote the following hydraulic system for your Ford F550 DRW chassis proposal to Plum Borough School District. Our pricing below is from the PA Municipal Work Vehicles Contract, #025-021. Walsh Eq's Costars Supplier Number is 146096.

8' 6" Aluminum Dump Body by Somerset Welding, Quote 75222#1, attached. This spec includes a fanbelt electric clutch pump hydraulic system for the dump body, and plow, and electric spreader controls. There are some items that the customer will need to install on their own, please refer to page 3 of the body spec. Labor to install a plow and hitch (supplied by the school district) is included in this quote.

Please note that the F550 chassis must have mid fuel tank, not rear mounted.

PA Costars-025-021 Price, installed: \$31,481

Even though the SWS quote is dated Jan. 20, 2014, the price quoted is still valid based on that dated specification.

Thank you for the opportunity to quote this equipment package.

Best regards,

Walt Garrison,
Sales Representative

WMG/vmc



WALSH EQUIPMENT

01/20/14 14:55

Quote: 75222 # 1

Somerset Welding & Steel, Inc.
10558 Somerset Pike
P.O. Box 735
Somerset, PA 15501

Type: DA1

Order:
PO No:

Page 1

Phone: (814) 444-3400 Fax: (814) 443-2621

Customer

WALSH EQUIPMENT

P O BOX 430

BUTLER PA 16003

Attn: VICKI/DAN

Phone: 724-865-9221

Fax: 724-865-9817

Cell: 724-679-4290

End User: PLUM BORO SCH DIST

Brief Description

Light Duty Alum Dynahauler

Number of Units: 1

Entered By: LDF

Sales Rep:

Ron Wright

(814) 442-0787

Inside Sales: Larry Faidley

E-Mail: VICKI.CORNETTI@WALSHEQUIPMENTIN

Make: FORD

CT: ??

Serial No: ??

Model: F550

Due Date: ??

Hinge/EOB: ??

Trans No: ??

Year: ??

Wheel Base: ??

Tire/EOB: ??

Deliver: Y

Installed: Y

Color: ??

CA: 60"

Tire Size: ??

Pickup: N

Build & Ship: N

BODY:

LENGTH

8' 6"

WIDTH

96.000"

HEIGHT

12"

SIDES:

MATERIAL

3/16" Alum Sheet

TYPE

Standard Stationary

STYLE

Square Faced Post

INTERMEDIATE SIDE POSTS

2 Intermediate Posts



WALSH EQUIPMENT 01/20/14 14:55

Quote: 75222 # 1
Type: DA1

Somerset Welding & Steel, Inc.
10558 Somerset Pike
P.O. Box 735
Somerset, PA 15501

Order: Page 1
PO No:

Phone: (814) 444-3400 Fax: (814) 443-2621

Customer
WALSH EQUIPMENT
P O BOX 430
BUTLER PA 16003
Attn: VICKI/DAN
Phone: 724-865-9221
Fax: 724-865-9817
Cell: 724-679-4290
End User: PLUM BORO SCH DIST

Brief Description
Light Duty Alum Dynahauler

Number of Units: 1 Entered By: LDF
Sales Rep: Ron Wright
(814) 442-0787

Inside Sales: Larry Faidley
E-Mail: VICKI.CORNETTI@WALSHEQUIPMENTIN

Make: FORD CT: ?? Serial No: ??
Model: F550 Due Date: ?? Hinge/EOB: ?? Trans No: ??
Year: ?? Wheel Base: ?? Tire/EOB: ?? Deliver: Y Installed: Y
Color: ?? CA: 60" Tire Size: ?? Pickup: N Build & Ship: N

BODY:	LENGTH	8' 6"
	WIDTH	96.000"
	HEIGHT	12"
SIDES:	MATERIAL	3/16" Alum Sheet
	TYPE	Standard Stationary
	STYLE	Square Faced Post
	INTERMEDIATE SIDE POSTS	2 Intermediate Posts
	CATWALK	2" Smooth Edge Bustin Both Sides
	TOP RAIL	Formed Top Rail
	BOARD	N None Height: 0"
FLOOR:	DESIGN	Standard Structure
	SHEET	3/8" Alum Plate
	RADIUS CORNERS	Inside radius corners
	REAR SKIRT	Full Rear Skirt
UNDERSTRUCTURE:	LONGITUDINALS	6" Channel @ 3.63#
	TYPE	4" Channel @ 1.85# 12" Centers
	BOTTOM RAIL	Standard Formed Bottom Rail
BULKHEAD:	MATERIAL	3/16" Alum Sheet
	CAB SHIELD LENGTH	Full
	CAB SHIELD WIDTH	Full Width
	CAB SHIELD FACE	6" May Be Adjusted at Construction
	CAB SHIELD GAUGE	3/16" Alum Sheet
	CAB SHIELD DESC	W/4 Roof Braces
TAILGATE:	REAR CORNER POST HGHT	25" Post Height
	TYPE	Standard Top Hardware
	STYLE	Single Paneled Tailgate
	SHEET	3/16" Alum Sheet
	HEIGHT	24 "
	NUMBER OF COAL DOORS	*** NONE ***
	TG CHAIN & HARDWARE	TG Chains & Hardware
	CONTROLS	Man Operated T-Gate Latch
HYDRAULICS:	TELESCOPIC CYLINDERS	NO CYLINDER
	PTO	No PTO Required PART NUMBER
	PUMP	Fanbelt Elec. Clutch Pump PART NUMBER
	PACKAGE	Harsh RL-D40 DA, Class 40 Conversion
	CENTRAL	#289- DA Hoist, Plow, Angle, Elec Spreader
	CONTROLS	Cab Controls as Required
	TANK	Oil Tank-Alum Central Hyd.



WALSH EQUIPMENT

01/20/14 14:55

Quote: 75222 # 1

Somerset Welding & Steel, Inc.

Type: DAL

10558 Somerset Pike

Order:

Page 2

P.O. Box 735

PO No:

Somerset, PA 15501

Phone: (814) 444-3400 Fax: (814) 443-2621

Customer

WALSH EQUIPMENT

Brief Description

P O BOX 430

Light Duty Alum Dynahauler

BUTLER PA 16003

Attn: VICKI/DAN

Number of Units: 1

Entered By: LDF

Phone: 724-865-9221

Sales Rep: Ron Wright

Fax: 724-865-9817

(814) 442-0787

Cell: 724-679-4290

Inside Sales: Larry Faidley

End User: PLUM BORO SCH DIST

E-Mail: VICKI.CORNETTI@WALSHEQUIPMENTIN

ACCESSORIES:	LADDERS FRONT	Slide-out Ladder 2-step
	LADDERS REAR	*** NONE ***
	TARP RAIL	*** NONE ***
	STRIPE	*** NONE ***
	SUB-FRAME	Rubber Cushion
	MUDFLAPS	J & J Mudflaps 24"x20" 6"Clr.
	MUD SHIELDS	Standard Splash Shields
LIGHTS:	LIGHT PACKAGE	LED Marker/Clearance Lights
	POST LIGHT	6000 series LED ST/T in post Slanted
	MODULES	Trucklite LED ST/T, and Backup Use6000
Ser. Slanted		
	AUX LIGHTS	Spreader Light 1ea.Side Rear Clear
	AUX LIGHTS	Spreader Light 1ea.Side Rear Clear
	AUX LIGHTS	4 Strobe P/M LED in Cabshield
	AUX LIGHTS	2 Strobe P/M LED in Rear Post SLANTED
	AUX LIGHTS	Plow lights w/Turn Nite Saber
PAINT	BOARDS	NOT APPLICABLE
	BODY	Acid Clean

Appx. Weight: 2,656 lbs

----- (Optional Equipment) -----

1	LIGHTS	GROMMET THRU ALL METAL FOR WIRING	
0.00			
1	OTHER	ONE PIECE FLOOR,	REAR POSTS WIDE ENOUGH FOR
0.00			
	LIGHTS		
1	REAR	2 BANJO PLATES EACH REAR POST	
0.00			
1	REAR	TAILGATE CHAIN COVERS	
0.00			
1	REAR	LIFTING ANGLE TOPCENTER INSIDE GATE	
0.00			
1	REAR	CAP ENDS OF GATE WHERE BOTTOM PINS	ENTER SEE JOEL, GATE TO FOLD
0.00			
	DOWN 180 DEGREES		
1	REAR	TAILGATE SPILL PLATES (STAINLESS)	BOLTED THROUGH GATE FULLHEIGHT
0.00			
1	REAR	PINTLE PLATE W/REESE RECEIVER	W/D RINGS LIKE 05W-26463
0.00			
1	REAR	ADAPTER W/REESE REC W/2-5/16"COMB.	23"GROUND TO TOP OF BALL, LIKE
0.00			
	05W-26463		
1	OTHER	TRAILER ELEC SCKT PLASTIC 7-FLAT	
0.00			
1	SIDE	GRAB HANDLE (ALUM)	3/4" FULL LENGTH
0.00			



WALSH EQUIPMENT 01/20/14 14:55

Somerset Welding & Steel, Inc.
10558 Somerset Pike
P.O. Box 735
Somerset, PA 15501

Quote: 75222 # 1
Type: DA1
Page 3

Phone: (614) 444-3400 Fax: (614) 443-2621

Customer
WALSH EQUIPMENT
P O BOX 430
BUTLER PA 16003
Attn: VICKI/DAN
Phone: 724-865-9221
Fax: 724-865-9817
Cell: 724-679-4290
End User: PLUM BORO SCH DIST

Brief Description
Light Duty Alum Dynahauler

Number of Units: 1 Entered By: LDF
Sales Rep: Ron Wright
(814) 442-0787
Inside Sales: Larry Faidley
E-Mail: VICKI.CORNETTI@WALSHEQUIPMENTIN

- 1 REAR TRUCKLITE MODULES TO USE 6000 SERIE LIGHTS SLANTED. KEEP THEM AS
0.00 LOW AS POSSIBLE
- 1 LIGHTS USE CUSTOMERS SWITCHES FOR AUX. LIGHTS
0.00
- 1 REAR REMOVE REAR OEM TAILLIGHTS + SHIP LOOSE IN CAB
0.00
- 1 PAINT CONSPICUITY TAPE BOTH SIDES & REAR RED+WHITE
0.00
- 1 SIDE CUSTOMER WILL SUPPLY + INSTALL THEIR OWN SIDE BOARDS THIS
0.00 TIME
- 1 HYDRAULICS FILTER W/SEND UNIT, SIGHT/TEMP.GAUGE +MAGNETIC DRAIN PLUG
0.00
- 1 HYDRAULICS HK STAINLESS QUICK COUPLERS MOUNT LIKE 05W-26463
0.00
- 1 HYDRAULICS MATING HALVES FOR QUICK COUPLERS
0.00
- 1 HYDRAULICS TRI-POINT TEST POINT
0.00
- 1 HYDRAULICS SIMULTANEOUS HYDRAULIC OPERATIONS
0.00
- 1 HYDRAULICS HYDRAULIC SYSTEM AS SPECIFIED FANBELT CLUTCH PUMP
0.00
- FULL CONSOLE BETWEEN SEATS
- 1 HYDRAULICS USE A MUNCIE MESP 401 ELECTRIC SPREADER CONTROL IN PLACE OF
0.00 AS3
- 2 OTHER CUSTOMER WILL SUPPLY + INSTALL THEIR OWN TOOLBOXES 'TO SLIDE
0.00 INTO BOARD HOLDERS THIS TIME
- 1 OTHER REMOVE FACTORY CENTER CONSOLE & SHIP LOOSE
0.00
- 1 OTHER INSTALL CUSTOMER HENDERSON PLOW, + HITCH
0.00

=====

Special Remarks:

Unless indicated above, F.E.T., and sales tax are NOT included in price.

- NOTE: SAME AS 05W-26463 EXCEPT DO NOT INSTALL CUSTOMERS SPREADER.
- NOTE: CHASSIS MUST HAVE MID FUEL TANK, NOT REAR MOUNTED.
- NOTE: HYD.TANK SEE DWG #C-50334.
- NOTE: HYDRAULICS ARE SET UP FOR A DA PLOW LIFT CYL.+DA PLOW ANGLE CYLINDERS.
- NOTE: WBS / HYDRO SEE DWG# 05W-26463



WALSH EQUIPMENT 01/20/14 14:55

Quote: 75222 # 1

Somerset Welding & Steel, Inc.

Type: DA1

10558 Somerset Pike

Order:

Page 4

P.O. Box 735

PO No:

Somerset, PA 15501

Phone: (814) 444-3400 Fax: (814) 443-2621

Customer
WALSH EQUIPMENT

Brief Description
Light Duty Alum Dynahauler

P O BOX 430

BUTLER PA 16003

Attn: VICKI/DAN

Number of Units: 1

Entered By: LDF

Phone: 724-865-9221

Sales Rep:

Ron Wright

Fax: 724-865-9817

(814) 442-0787

Cell: 724-679-4290

Inside Sales: Larry Faidley

End User: PLUM BORO SCH DIST

E-Mail: VICKI.CORNETTI@WALSHEQUIPMENTIN

NOTE: WBS / TAILLIGHT MODULE SEE DEG# 26463WQA

NOTE: If a purchase order is required for payment, the purchase order must be provided before we enter this quote as an order and order any material for this job.

25 Gallon Aluminum hydraulic tank includes an inner baffle, drop style return tube, top cleanout opening, low oil sensor, sight/temp. gauge, chrome filler/breather cap, magnetic drain plug, shock absorbing mounts, shut-off valve, and (Hydraulic filter when used with central hydraulic circuit).

=====
Please review carefully. If you have any questions, contact this office or your sales representative. If there are no questions, please sign and return one of the enclosed copies. We must have a signed copy of this quotation before we process and fabricate your order.
Terms: NET 30 DAYS PRICE SUBJECT TO CHANGE AFTER 30 DAYS

(s3B*** If accepted, changes to orders within two weeks of scheduled production will incur a *** \$150.00 administrative fee plus the option cost & may delay scheduled delivery.
(s0B

By: _____ Date: _____
(Customer Signature)

Prepared For: Mr. Bob Holleran
 Prepared By: W. J. Bauer
 Dealership: Woltz & Wind Ford



Quotation

2015 Ford F-550 Chassis

4x4 SD Regular Cab 141" WB DRW XL (F5H)

	MSRP
Base Vehicle Price	39,380.00
Factory Options	12,975.00
Accessories & Other Items	32,191.00
Destination	1,195.00
Vehicle Total	85,741.00
Pre-Tax Adjustments	
Woltz & Wind Ford and Ford Motor Company Government Price Concessions	-11,321.00
Total Pre-Tax Adjustments	-11,321.00
Grand Total	74,420.00

Complete Truck & Equipment Per Above Specification

\$74,420.00

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information. Reference CT05203351 5/1/2014

Prepared For: Mr. Bob Holleran
 Prepared By: W. J. Bauer
 Dealership: Woltz & Wind Ford



Vehicle Profile

2015 Ford F-350

4x4 SD Regular Cab 8' box 137" WB SRW XL (F3B)

Powertrain

6.2L V-8 SOHC SMPI 16 valve engine with variable valve control * 157 amp alternator * 650 amp 72 amp hours (Ah) HD battery with run down protection * Transmission oil cooler * 6-speed electronic SelectShift automatic transmission with overdrive, lock-up, driver selection * Part-time four-wheel drive with electronic transfer case shift, auto locking hubs * ABS & driveline traction control * 4.30 axle ratio * Stainless steel exhaust

Steering and Suspension

Hydraulic power-assist re-circulating ball steering * 4-wheel disc brakes with front and rear vented discs * Firm ride suspension, with AdvanceTrac w/Roll Stability Control electronic stability control with anti-roll * Mono-beam non-independent front suspension * Front anti-roll bar * HD front coil springs * HD front shocks * Rigid rear axle * Rear leaf suspension * Rear anti-roll bar * HD rear leaf springs * HD rear shocks * Front and rear 18.0" x 8.00" argent steel wheels with hub covers * LT275/70SR18.0 BSW AT front and rear tires * Underbody w/crankdown mounted full-size steel spare wheel

Safety

4-wheel anti-lock braking system * Center high mounted stop light * Dual airbags, passenger side front-impact cancellable airbag, seat mounted driver and passenger side-impact airbags, curtain 1st row overhead airbag * Front height adjustable seatbelts * SecuriLock immobilizer, panic alarm, security system

Comfort and Convenience

Air conditioning * AM/FM stereo, clock, seek-scan, 2 speakers, fixed antenna * Power door locks with 2 stage unlock, keyfob (all doors) keyless entry, manual tailgate/rear door lock * 2 12V DC power outlets, retained accessory power, back-up alarm * Analog instrumentation display includes tachometer, oil pressure gauge, engine temperature gauge, transmission fluid temp gauge, engine hour meter, exterior temp, systems monitor, trip odometer * Warning indicators include oil pressure, engine temperature, battery, lights on, key, low fuel, door ajar, service interval, brake fluid, low tire pressure * Steering wheel with tilt and telescopic adjustment * Power front windows with light tint, driver and passenger 1-touch down * Variable intermittent front windshield wipers * Passenger side vanity mirror * Day-night rearview mirror * Interior lights include dome light with fade, front reading lights, illuminated entry * Glove box, front cupholder, instrument panel bin, dashboard storage, driver and passenger door bins * Upfitter switches

Seating and Interior

Seating capacity of 3 * 40-20-40 split-bench front seat with adjustable head restraints, center armrest with storage * 4-way adjustable driver seat includes lumbar support * 4-way adjustable passenger seat * Vinyl faced front seats with vinyl back material * Full cloth headliner, full vinyl/rubber floor covering, urethane gear shift knob, chrome interior accents

Exterior Features

Front and rear mud flaps, side impact beams, front license plate bracket, fully galvanized steel body material, side steps * Black side window moldings, black front windshield molding * Black door handles * Black grille * 2 doors with

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information. Reference CT05203351 4/1/2014

Vehicle Profile Continues

Prepared For: Mr. Bob Holleran
 Prepared By: W. J. Bauer
 Dealership: Woltz & Wind Ford

Exterior Features (Continued)

tailgate rear cargo door * With bed liner * Class V trailering, trailer harness, trailer hitch, brake controller, trailer sway control * Driver and passenger power remote black heated convex spotter folding manual extendable trailer outside mirrors with turn signal indicators * Front and rear black bumpers, with front tow hooks rear step * Aero-composite halogen headlamps * Additional exterior lights include cab clearance lights, pickup cargo box light, underhood light, remote activated perimeter/approach lights * Clearcoat monotone paint * Snow plow provision

Warranty

Basic 36 month/36,000 miles Powertrain 60 month/60,000 miles
 Corrosion Perforation 60 month/unlimited mileage Roadside Assistance 60 month/60,000 miles

Dimensions and Capacities

Output	316 hp @ 4,179 rpm	Torque	397 lb.-ft. @ 4,179 rpm
1st gear ratio	3.974	2nd gear ratio	2.318
3rd gear ratio	1.516	4th gear ratio	1.149
5th gear ratio	0.858	6th gear ratio	0.674
Reverse gear ratio	3.128	Curb weight	6,687 lbs.
GVWR	11,300 lbs.	Front	5,600 lbs.
Rear GAWR	7,180 lbs.	Payload	4,930 lbs.
Front curb weight	3,832 lbs.	Rear curb weight	2,855 lbs.
Front axle capacity	6,000 lbs.	Rear axle capacity	7,280 lbs.
Front spring rating	5,600 lbs.	Rear spring rating	7,000 lbs.
Front tire/wheel capacity	7,050 lbs.	Rear tire/wheel capacity	7,050 lbs.
Towing capacity	12,500 lbs.	5th-wheel towing capacity	15,500 lbs.
Front legroom	41.1 "	Front headroom	40.7 "
Front hiproom	67.6 "	Front shoulder room	68.0 "
Passenger area volume	65.9 cu.ft.	Length	227.6 "
Body width	79.9 "	Body height	80.0 "
Wheelbase	137.0 "	Cab to axle	56.3 "
Front track	68.3 "	Rear track	67.2 "
Turning radius	23.1 '	Fuel tank	35.0 gal.
Exterior cargo length	98.0 "	Exterior cargo minimum width	50.9 "
Exterior cargo volume	77.3 cu.ft.	Exterior cargo pickup box depth	20.0 "
Exterior cargo maximum width	69.3 "		

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information Reference: CT05203351 4/1/2014

transmission, TorqShift 6-Speed Automatic w/OD	Included
Electronic Locking w/4.30 Axle Ratio	390.00
GVWR: 11,300 lb Payload Package	N/C
GVWR: 11,100 lb Payload Packago	Included

Selected Options Continued

Prepared For: Mr. Bob Holleran
 Prepared By: W. J. Bauer
 Dealership: Woltz & Wind Ford

Description	MSRP
Monotone Paint Application	N/C
Power Equipment Group	895.00
Snow Plow Prep Package	85.00
Camper Package	160.00
4x4 Electronic-Shift-On-The-Fly (ESOF)	185.00
Trailer Brake Controllor	270.00
6" Angular Black Molded In Color Running Board	320.00
Roof Clearance Lights	55.00
Tough Bed Spray-In Bedliner	475.00
Upfitter Switches (4)	125.00
Radio: AM/FM Stereo w/Digital Clock	Included
Front & Rear Splash Guards/Mud Flaps (LPO)	130.00
Exterior Backup Alarm (LPO)	125.00
Interior Colors For : Primary w/XL (Reg)	
Steel	N/C
Primary Colors For : Primary w/XL (Reg)	
Oxford White	N/C
Accessories and Aftermarket Options	
Fire Extinguisher	\$100.00
Triangle Reflector Kit	\$30.00
Plow - Spreader - Hydraulics - Rack - Boxes - Lights	\$19,160.00
Vehicle Subtotal	\$57,825.00
Destination	\$1,195.00
Vehicle Subtotal (including Destination)	\$59,020.00

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information. Reference CY05203351 4/1/2014

sabre

802 penna. ave.
coraopolis, pa. 15108

EQUIPMENT INC.

phone: 412-262-3080
fax: 412-262-2779

EQUIPMENT QUOTATION

Quote #:
Customer: WoltZ & Wind Ford

Quote Date: June 12, 2014
Expire Date:
Contact: Bill B

Ship To: same

Phone #:
Fax #:
Cust PO#:
Terms:
Delivery time:
Salesrep: Bill Gray

RE:
Work location:

Part Number	Description	Quantity	Price	Extended
	Furnish and Install			\$ -
	Western Ultramount ProPlus 8' steel plow with deflector, lights and markers			\$ -
	AirFlo stainless steel spreader, 1.7 cu yd capacity, top screens, inverted vee and dual hydraulic motors			\$ -
	Underhood hydraulics to operate plow and spreader, Includes: pump, mounting kit, custom tank, spreader control, plow controls, hoses and fluid			\$ -
	Adrian Loadrunner ladder rack, powdercoated steel, removable rear bar, center bar, window screen, and (2) strobe mounts			\$ -
	(2) amber warning lights			\$ -
	(2) RC Ind. Topside boxes, 84" x 16" x 13", treadplate aluminum (.125), stainless hinges and locks			\$ -
				\$ -
	COSTAR 25	1	\$19,160.00	\$ 19,160.00
	LIST	1	\$20,169.00	\$ 20,169.00
THIS EQUIPMENT				\$ -
INCLUDED IN QUOTATION TOTAL				\$ -
				\$ -
				\$ -
				\$ -

Sub-Total	
S/H	
Tax Rate	7%
Tax	
Total	\$ -

Please review the above information completely. These specifications as shown constitute an order and any changes made must be in writing. We must be in receipt of a signed copy of this quote prior to processing your order. This quote will be honored for 30 days. Please complete the portion below this disclaimer and fax or mail to the above address or number.

Authorized Signature:

Date:

P.O.#:

Prepared For: Mr. Bob Holleran
 Prepared By: W. J. Bauer
 Dealership: Woltz & Wind Ford



Quotation

2015 Ford F-350

4x4 SD Regular Cab 8' box 137" WB SRW XL (F3B)

	MSRP
Base Vehicle Price	34,740.00
Factory Options	3,795.00
Accessories & Other Items	19,290.00
Destination	1,195.00
Vehicle Total	59,020.00
Pre-Tax Adjustments	
Woltz & Wind Ford and Ford Motor Company Government Price Concessions	-12,034.00
Total Pre-Tax Adjustments	-12,034.00
Grand Total	46,986.00

**Complete Truck & Equipment
 Per Above Specification
 Ready For Work**

\$46,986.00

Prices and content availability as shown, are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information. Reference CT0520335: 4/1/2014